

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	937	345/690.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 09:52
S3	258	345/83.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/04 10:43
S4	319177	(correct\$3 or modify\$3 or alter\$3 or chang\$3 or compensat\$3) with (intensit\$3 or color)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/04 10:44
S5	120	S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/04 10:46
S6	4	waveguide and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/04 10:47
S7	14	"5615039".pn. or "6081073".pn. or "6271825".pn. or "6291942".pn. "6404137".pn. or "20010035853" or "20010035848"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/04 14:10
S8	1	10/646306.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 10:54
S10	3	(("20010035848") or ("20020030641") or ("20010028060") or ("20010035848")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/18 16:29
S11	7	(("6291942") or ("6404137") or ("6144162") or ("6320325") or ("6356029") or ("6392617") or ("6414661")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/19 09:17
S12	304079	waveguide or reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 12:04
S13	272	345/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:46

S14	331	345/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:46
S15	1329	345/76.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 10:59
S16	374	345/77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:59
S17	575	345/84.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:34
S18	81	345/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:24
S19	179	345/39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00
S20	81	345/40.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00
S21	174	345/41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00
S22	100	345/42.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00
S23	154	345/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00
S24	396	345/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:00

S25	1	S18 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:25
S26	167	(S18 or S13 or S14 or S15 or S16 or S17 or S19 or S20 or S21 or S22 or S23 or S24) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:32
S27	657168	intensity or intensify\$3 or intensities	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:32
S28	84	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 11:43
S30	70606	"345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 12:04
S31	168055	OLED or (organic adj light-emitting adj diode) or (organic adj light adj emitting adj diode) or (light adj emitt\$3 near2 diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 12:06
S32	639	S12 and S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 12:06
S33	337	S32 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:15
S34	204	S33 and (compensat\$3 or compensator or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:36
S35	127548	photodiode or (photo adj diode) or photo-diode or phototransistor or (photo-transistor) or (photo adj transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:40
S36	47	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:20

S37	3	(("20010035848") or ("20020030641") or ("20010028060") or ("20010035848")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/19 13:23
S38	2	("2001/0035848").URPN.	USPAT	OR	ON	2006/01/19 13:24
S39	1389464	organic	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:35
S40	447881	(optically or optical) same (coupl\$3 or connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:36
S41	8779	transparent near4 (anode or cathode)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:36
S42	2143424	(compensat\$3 or compensator or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:36
S43	71	S12 and S39 and S40 and S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 13:37
S44	11	S43 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:09
S45	3045	315/169.1-169.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:44
S46	84	S45 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:26
S47	84	(radiation or light) and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:37
S48	397250	amplifier and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:37

S49	26	S48 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:38
S50	7	S48 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:40
S51	1509	S12 and S31 and S35 and S40 and S48 and ((radiation or light) near3 (element or emitt\$3 or pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 15:43
S52	27	S51 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:01
S53	61046	(radiation or light) same waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:03
S54	21003	((radiation or light) same waveguide) same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:03
S55	59	S54 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 10:26
S56	20	S45 and waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:23
S57	2	"20020030647"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:24
S58	4	"20010052597" or "20010055008"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:34
S59	2078	315/169.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/19 16:44

S60	17	S59 and waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 10:14
S61	1115	waveguide same (optical\$2 near2 (coupl\$3 or connect\$3)) same (radiation or light or LED or OLED) same (photosensor or photodiode or phototransistor or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 11:46
S62	218	display and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 14:57
S63	3	S62 and ("345".clas. or "315".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 10:33
S64	3	S62 and ("349".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 10:34
S65	11	("4755667").URPN.	USPAT	OR	ON	2006/01/20 11:09
S66	8	("5659332").URPN.	USPAT	OR	ON	2006/01/20 11:31
S67	8428	waveguide and (optical\$2 near2 (coupl\$3 or connect\$3)) and (radiation or light or LED or OLED) and (photosensor or photodiode or phototransistor or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 11:46
S68	8210	S67 and (not S62)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 11:47
S69	169	"L20" and ("345".clas. or "315".clas. or "382".clas. or "349".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 11:48
S70	101	S67 and ("345".clas. or "315".clas. or "382".clas. or "349".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 11:48
S71	872	345/82.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 14:57

S72	260	345/83.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 14:57
S73	397250	amplifier and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:42
S74	7	(sens\$3 same amplifier) and 345/76-84.ccls. and (waveguide or reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:47
S75	102587	(photosensor or sensor or photodiode or phototransistor or photo-sensor or photo-transistor or photo-diode) same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:48
S76	982	S75 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:49
S77	877	S76 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:49
S78	700	S77 and (organic or light or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:49
S79	657168	intensity or intensify\$3 or intensities	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:50
S80	356	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:51
S81	321208	(correct\$3 or modify\$3 or alter\$3 or chang\$3 or compensat\$3) with (intensit\$3 or color)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:51
S82	155	S80 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:51

S83	9	("4810937" "5089748" "5345167" "5550066" "5719589" "5736754" "5783909" "5940053" "5952789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/20 17:56
S84	2577	345/76-77.ccls. or 345/82-83.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:59
S85	54379	(sense or sensor) near amplif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:59
S86	7	S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/20 17:59
S87	1	10/037437.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 11:58
S88	2	"5659332".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 10:23
S89	481	transparent adj (anode and cathode)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 10:26
S90	438	S89 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 10:26
S91	429	S90 and (OLED or electroluminescent or (light near emitt\$3) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 10:27
S92	10	S91 and phototransistor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 11:58